

**Cill/Sill for Steel Security Door (Cill Plate) -
150mm Depth x 2mm High - 1140mm
Length custom Cut to Width - Powder
Coated Aluminium****£44.89****Product Description**

Cill/Sill for Steel Security Door (Cill Plate) - 150mm Depth x 2mm High - 1140mm Length custom Cut to Width - Powder Coated Aluminium

- 150mm depth to suit most common door installations
- 10mm Rear lip to stop water ingress and not impede on threshold for low threshold doors
- Low Profile 2mm Thick plate so doesn't impact overall door height or threshold (still complies with Part M low threshold)
- Pencil round Nose front so no sharp edges
- 1140mm Length - simply cut to size with chip saw / Angle grinder to suit your opening, ideally for all sizes or those with adjustable side panels
- Aluminium so won't rust after cutting
- Stocked in range of standard powder coated colours to match the stock door frames
 - RAL 9003 WHITE
 - RAL 7016 ANTHRACITE GREY
 - RAL 9005 JET BLACK

- RAL 6007 JUNIPER GREEN

Masonry/Brick/Block Fixing Kit

1 x 150mm 8mm Masonry drill bit
1 x Pozi PZ2 Drill bit head
9 x 100mm Frame fixings c/w plastic plug
1 x mini magnetic spirit level
15 x pack of plastic window/door packers - Mixed
80mm clear silicone sealant
9 x M8 washers

Steel/Metal Fixing Kit - Self Drilling Screws

9 x 80mm x 5.5mm Metal self drilling Torx screws
1 x Torx drill bit
1 x mini magnetic spirit level
15 x pack of plastic window/door packers - Mixed
80mm clear silicone sealant
9 x M6 washers

Timber fixing kit

9 x 80mm 6mm Gold thread timber screws
1 x Pozi PZ2 Drill bit head
1 x mini magnetic spirit level
15 x pack of plastic window/door packers - Mixed
80mm clear silicone sealant
9 x M6 washers

[DOWNLOAD PDF TECHNICAL DRAWING / DIMENSIONS](#)

[DOWNLOAD INSTALLATION INSTRUCTIONS / MANUAL](#)

